

**From:** [Mitchell, Ken](#)  
**To:** [Hodoh, Ofia](#)  
**Cc:** [Rinck, Todd](#); [Reynolds, Mary](#); [Medlock, Catrell](#)  
**Subject:** RE: Mold Complaint Response Letter - FCI Tallahassee  
**Date:** Tuesday, August 17, 2021 9:19:11 AM

---

Please send me the original correspondence.

---

**Kenneth L. Mitchell, Ph.D.** | Deputy Director |

Air and Radiation Division

U.S. Environmental Protection Agency | 61 Forsyth Street, SW | Atlanta, GA 30303

Voice: [404-562-9065](tel:404-562-9065) | Fax: [404-562-9066](tel:404-562-9066) | Email: [mitchell.ken@epa.gov](mailto:mitchell.ken@epa.gov)

NOTICE: This communication may contain privileged or other confidential information. If you are not the intended recipient, or believe that you have received this communication in error, please do not print, copy, retransmit, disseminate, or otherwise use the information. Also, please indicate to the sender that you have received this communication in error, and delete the copy you received.

---

**From:** Hodoh, Ofia <[Hodoh.Ofia@epa.gov](mailto:Hodoh.Ofia@epa.gov)>  
**Sent:** Monday, August 16, 2021 8:21 PM  
**To:** Mitchell, Ken <[Mitchell.Ken@epa.gov](mailto:Mitchell.Ken@epa.gov)>  
**Cc:** Rinck, Todd <[Rinck.Todd@epa.gov](mailto:Rinck.Todd@epa.gov)>; Reynolds, Mary <[Reynolds.Mary@epa.gov](mailto:Reynolds.Mary@epa.gov)>; Medlock, Catrell <[Medlock.Catrell@epa.gov](mailto:Medlock.Catrell@epa.gov)>  
**Subject:** Mold Complaint Response Letter - FCI Tallahassee

Ken,

Attached for your review and approval is the response letter to Mr. Malik King regarding the mold and asbestos complaint at FCI Tallahassee.

V/R,

**Ofia Hodoh, DrPH**

Chief, Communities and Air Toxics Section

Air and Radiation Division

U.S. EPA Region 4

61 Forsyth St. SW, Atlanta, Georgia 30303

**Office** (404) 562-9176 **EPA Mobile** (404) 809-1850

**Email** [hodoh.ofia@epa.gov](mailto:hodoh.ofia@epa.gov)